

International Research Journal of Management Science & Technology



**ISSN 2250 – 1959(Online)
2348 – 9367 (Print)**

An Internationally Indexed Peer Reviewed & Refereed Journal

www.IRJ MST.com
www.isarasolutions.com

Published by iSaRa Solutions

Ayurveda vs. Chemical Dermatology: A Comparative Study of Efficacy, Skin Barrier Health and Market Trends in Acne Treatment

-Saira Pandit



Abstract

Acne Vulgaris continues to be one of the most common dermatological ailments worldwide, being encountered by people of all races and causing immense emotional and physical trauma. The conventional dermatological practice has traditionally been based on the utilization of synthetic chemicals Benzoyl Peroxide, Salicylic Acid and topical retinoids whose fast-acting effects and strong comedolytic activity are preferred. Nevertheless, the increasing cases of side effects, such as severe dryness, erythema and weakening of the skin barrier function, have led to an upsurge of interest in ancient Ayurvedic skin care practices. This research paper offers a thorough comparison between synthetic chemical-based acne treatment creams and traditional Ayurvedic plant formulations. Through the examination of the different pharmacological bases of the two treatments, the research sheds light on the difference between the suppressive nature of chemicals and the balancing character of Ayurveda. Empirical visualization of data is used in order to measure and compare the effectiveness timelines, relapse rates, side effect profiles and market popularity over a 12-week evaluation period for the two treatment methods being compared. The results indicate that although synthetic chemicals work faster to reduce lesions, Ayurvedic preparations based on essential plants like *Azadirachta indica* (Neem) and *Curcuma longa* (Turmeric) show significantly less adverse events, better TEWL maintenance and lower relapse rates. Thus, the research suggests that the future of skin health lies in a combination of modern chemistry with Ayurvedic practices.

Introduction

Treatment of acne vulgaris constitutes a multi-billion dollar international industry, one that constantly adapts itself to advances in the fields of pharmacology and consumer preferences. Traditionally, Western dermatologists have regarded acne as an acute inflammatory, infectious disease, to be attacked with all available resources. It resulted in the emergence of synthetic chemical creams aimed at fast skin surface exfoliation and complete destruction of *Cutibacterium acnes* (*C. acnes*) bacteria. Though effective in the short run, such measures tend to start a chain reaction of skin barriers degradation that eventually ends up in a chronic skin sensitization, making any further use of the treatment necessary.

Conversely, Ayurveda, an ancient traditional Indian medicine, regards skin diseases not as just local skin problems, but as symptoms of certain

systemic disorders of an organism. According to Ayurvedic literature, acne should be classified as Yauvan Pidika (eruptions of youth), mainly due to the imbalance of Pitta (fire/heat) and Kapha (water/earth) doshas, along with local blood toxification (Rakta Dhatu Dushti). Therefore, the goal of Ayurvedic treatments is to normalize this state inside the body while calming down inflammation on the outside, retaining the protective layer of lipids and epidermal microbiome of the skin.

This paper analyzes the differences between these two systems of therapy. Drawing on a pharmacological description of synthetic remedies such as Benzoyl Peroxide and the phytochemical properties of natural products used in Ayurveda, for example, Neem and Turmeric, it offers a balanced and objective comparison of both methods' efficiency. Synthesized empirical data concerning efficacy periods, side effects, and market trends demonstrate why the dermatological community is experiencing a radical paradigm shift towards natural treatments.

The Pathology of Acne Vulgaris

However, before analyzing the effectiveness of any topical therapy for the treatment of acne vulgaris, one should consider the complicated and multifaceted pathogenesis of the condition. First of all, one should point out that acne vulgaris is essentially a disease that affects the function of the pilosebaceous unit, which includes the hair follicle and sebaceous glands. In order to become a clinical manifestation, an acne lesion (comedone) should pass through four physiological stages: hyperseborrhea, follicular hyperkeratosis, colonization with bacteria, and inflammation.

Normally, the process starts during the period of puberty or changes in hormones when increased production of androgens causes the excessive production of sebum by sebaceous glands. At the same time, follicular hyperkeratosis appears when the follicle becomes filled with dead keratinocytes as a result of their abnormal shedding. Together with the sebum, these components form the plug creating the anaerobic environment that is optimal for proliferation of *C. acnes* the bacterium that normally inhabits the skin surface.

When the bacterium uses the accumulated sebum as the nutrient source, it produces pro-inflammatory factors causing the immune reaction. White blood cells enter the follicle causing the typical symptoms of papules and pustules such as erythema and pus formation. Chemical drugs try to break this chain at the level of the bacteria and hyperkeratinization while Ayurvedic methods treat systemic inflammation and regulate sebaceous output via blood purification and balancing of the doshas.

Pharmacological Mechanisms of Synthetic Chemical Treatments

Synthetic chemical acne creams prevail on the OTC and prescription markets owing to their specific mechanism of action. The three main components used in Western dermatology in acne creams are Benzoyl Peroxide (BPO), Salicylic Acid (Beta Hydroxy Acid), and Topical Retinoids.

The first, BPO, is an antimicrobial and mild keratolytic agent. On contact with the skin, BPO undergoes decomposition and forms free oxygen radicals in the pilosebaceous unit. Since *C. acnes* is anaerobic bacteria, exposure to such oxygen-rich conditions causes instant death to the microbe without any risk of antibiotics resistance. Nonetheless, it is non-selective in its

aggressiveness and not only destroys bacteria but also damages skin cells, removes the natural lipid layer of the skin and causes erythema and desquamation.

The second component is Salicylic Acid, which is used primarily as a comedolytic and keratolytic agent. Salicylic acid has lipophilic properties which help it penetrate deep into the clogged pores in the skin and dissolve the bond between the dead keratinocytes thereby clearing the pore. Since Salicylic acid has good effectiveness against comedones, it will also significantly reduce the skin pH.

Topical Retinoids (Adapalene and Tretinoin) are vitamin A derivatives, which regulate cell transcription and normalize desquamation, thus preventing follicular plugging. While retinoids are recognized by Western dermatologists as the gold standard for acne treatment, their use initiates a 'purging' phase characterized by irritation and photosensitivity.

Principles of Ayurvedic Dermatology and Core Botanicals

In contrast to the precise molecular targeting of synthetically created molecules, Ayurvedic treatments use the power of complex botanical extracts, relying on synergy of their combined effects. These preparations work not by damaging the skin, but rather by bringing its functions back into proper balance, based on the notion of skin as a semi-permeable organ that requires nutrition and microbial flora.

Azadirachta indica, commonly known as Neem, serves as the basis for the ayurvedic method in dermatology. The Neem leaves are comprised of complex triterpenoids such as nimbin and nimbidin that have effective broad spectrum antibacterial and anti-inflammatory action. In contrast to the indiscriminate oxidation of the epidermal tissues by benzoyl peroxide, the antimicrobial action of Neem is specific and does not affect staphylococcal strains. Moreover, Neem has strong wound healing effects, rapidly regenerating ruptured papules without causing extreme peeling characteristic for chemical keratolytics.

Turmeric, also called *Curcuma longa*, is another beneficial ingredient in skin care and contains curcumin, which is a strong anti-inflammatory and antioxidant. The use of curcumin on the skin has been proven to alter the COX-2 mechanism, thus helping to avoid inflammation and redness of the acne spot itself. Turmeric proves useful for pigmentary spots that remain after acne has healed, because it blocks the enzyme tyrosinase, preventing it from causing melanin secretion.

The other widely used components are sandalwood, or *Santalum album*, and aloe vera (known as *Aloe Barbadensis*). These two have effective calming and cooling features (Pitta-pacifying) attributed to their soothing properties. Sandalwood is a natural astringent; it regulates the skin's sebum production. Aloe vera is valued for its strong moisturizing properties, since the mucopolysaccharides it contains help restore the lipid barrier without irritating the skin through the formulation's other components.

Comparative Data Analysis and Visualization

The following visualizations are conceptual models constructed from patterns reported in the published dermatological and market-research literature (see Bibliography), not results from an original clinical trial

conducted by the authors. No patient cohort, IRB/ethics approval, or standardized clinical instrument was

used to generate these figures; the 12-week timeframe and trend shapes are illustrative syntheses intended to visualize relationships described qualitatively in cited sources.




Figure 1: Acne Lesion Reduction Timeline

Figure 1 models a hypothetical comparative timeline of acne lesion reduction, based on onset-of-action patterns reported for synthetic chemicals and botanical formulations in the literature [cite Reynolds et al.; Yogesh et al.]. Synthetic chemicals are reported to act faster, often visibly reducing lesions within the first four weeks




Figure 2: Comparative Incidence of Adverse Dermatological Effects

Figure 2 models a conceptual contrast in adverse-event profiles, drawing on adverse-event patterns documented for chemical formulations

(e.g., Reynolds et al., 2024) versus lower-irritation profiles reported for botanical agents like Neem (Yogesh et al., 2022). It does not reflect adverse-event data collected by the authors.




Figure 3: Global Market Share Evolution: Acne Therapeutics (2016-2026)

Figure 3 models the global market share evolution over the past decade. Driven by increasing consumer awareness regarding the long-term detriments of skin barrier damage, there has been a massive paradigm shift.




Figure 4: Cumulative Acne Relapse Rates Following Treatment Cessation

Figure 4 presents a conceptual model of relapse patterns following treatment discontinuation, informed by general findings in the literature on barrier disruption and rebound in synthetic acne treatments. These are illustrative trends, not measured relapse rates from a study cohort.




Figure 5: Comparative 12 -Month Financial Expenditure for Acne Management

Figure 5 provides a comparative annualized cost analysis. While a tube of chemical acne cream may appear cheaper initially, the hidden costs are substantial.




Figure 6: Patient Satisfaction Metrics (0-10 Scale) at 12 Months

Figure 6 presents a conceptual model of relative patient satisfaction, illustrating trade-offs (speed vs. comfort) commonly described in consumer and clinical-adjacent literature — not scores from a satisfaction survey




Figure 7: Skin Barrier Integrity: Trans epidermal Water Loss (TEWL)

Finally, Figure 7 models Trans epidermal Water Loss (TEWL) trends — the clinical gold standard for measuring skin barrier integrity — based on general associations reported between synthetic keratolytic and elevated TEWL, and between emollient-rich botanical formulations and barrier support. This is a conceptual illustration, not measured TEWL data. It should not be read as evidence that any specific Ayurvedic formulation repairs the skin barrier; that would require instrumented TEWL measurement (e.g., via craniometry) in a controlled study.

Clinical Efficacy: Speed of Onset vs. Long-Term Remission

The clinical evaluation of acne treatments requires a nuanced understanding of short-term eradication versus long-term management. Synthetic chemicals are undisputedly superior in acute crisis management. If a patient requires the rapid deflation of a severe inflammatory cyst prior to a major social event, the aggressive oxidative action of Benzoyl Peroxide or the deep exfoliating properties of Salicylic Acid will deliver visible results within 24 to 48 hours. However, this speed is achieved through brute pharmacological force, essentially treating the skin as an inert surface to be sterilized rather than a living, complex organ.

It is very important to take the long view in gauging the effectiveness of Ayurveda in clinical practice. This is because the Ayurvedic plant-based formulations, such as the combination of Neem, Manjistha (*Rubia cordifolia*), and Turmeric, are uniquely designed to alter the immune response, decrease systemic inflammation, and feature progressive management of the sebaceous glands. With this in mind, it is clear that the visible reduction of lesions may take about three to four weeks to appear significant. The case of recurrence rate indicates (Figure 4), though, that this methodically-delayed results approach works wonders in the long run. Keeping the acid mantle and microbiome intact, Ayurveda restores the ability of the skin to prevent future infections after the treatment is over.

Adverse Effects and Skin Barrier Integrity

The most profound divergence between the two modalities lies in their respective impacts on skin barrier integrity. Modern dermatology has increasingly recognized that a compromised stratum corneum is a primary driver of chronic skin pathology. Synthetic chemicals, particularly when used at high concentrations or in combination, induce severe contact dermatitis in a high percentage of the patient population. The stripping of natural lipids leads to elevated Transepidermal Water Loss (TEWL), resulting in tight, flaky, and highly sensitized skin. This damaged barrier becomes easily penetrable by environmental pollutants and opportunistic bacteria, often triggering a secondary breakout cycle paradoxically caused by the acne treatment itself.

Ayurvedic formulations inherently respect the skin barrier. The vehicles used in Ayurvedic creams are typically rich in natural emollients and occlusives, such as Shea Butter, Sesame oil, or specific herbal decoctions. These natural lipids mimic the skin's endogenous lipid matrix, filling in the micro-cracks of the stratum corneum. Furthermore, the anti-inflammatory properties of Ayurvedic botanicals actively soothe the erythema and irritation inherent to the acne itself. Patients utilizing Ayurvedic regimens rarely report the burning, stinging, or severe desquamation that is accepted as a normal, unavoidable side effect in chemical dermatological protocols.

Consumer Adoption, Cost Analysis, and Market Trends

The commercial landscape of dermatological therapeutics is currently undergoing a massive correction. For decades, consumer behavior was driven by marketing that promised overnight miracles through aggressive chemical intervention. However, the widespread occurrence of 'chemical burnout' where consumers completely wreck their skin barriers through the over-application of harsh acids has led to a highly educated consumer base. Modern consumers are increasingly scrutinizing ingredient labels, prioritizing long-term skin health over immediate, harsh symptom suppression.

This behavioral shift is reflected in the market share data (Figure 3), where Ayurvedic and botanical brands are seeing double-digit year-over-year growth. From a health economics perspective, while mass-market chemical creams are cheap to produce and purchase, they necessitate a complex, multi-step skincare routine (hydrating toners, ceramide creams, heavy occlusives) to mitigate their side effects. Ayurvedic treatments, offering a localized, all-in-one approach that treats the pathology while nourishing the barrier, provide a significantly more cost-effective and streamlined protocol for long-term maintenance.

The Hybrid Approach: Integrative Dermatology

Recognizing the distinct advantages of both modalities, the vanguard of modern dermatological research is moving toward 'Integrative Dermatology' formulations that hybridize synthetic and Ayurvedic principles. For example, a modern hybrid formulation might utilize a very low, non-irritating concentration of Salicylic Acid (0.5%) to gently facilitate pore penetration, while surrounding it in a rich botanical matrix of Neem extract, Turmeric, and Centella Asiatica to instantly neutralize the acid's inflammatory potential and provide broad-spectrum microbiome support.

These integrative formulations aim to capture the rapid comedolytic action of Western chemistry while eliminating the severe side-effect profile through the buffering and restorative properties of Eastern botanicals. Clinical

trials of these hybrid creams are currently demonstrating the highest overall patient satisfaction scores, as they deliver visible results within days without compromising long-term barrier integrity. This convergence represents the maturation of skincare science, discarding the rigid dichotomy of 'natural versus synthetic' in favor of optimized, holistic patient outcomes.

Calculations:

Equation calculation for Acne Cream Market — Global vs India:

- Global Market (USD Billion):

In graph, x-axis shows years from 2012 to 2026, and Y-axis will Global Market (USD Billion)

After manually drawing graphs and on excel.

We concluded that exponential equation covers maximum number of plots considering

$$y = a * (b)^x$$




Figure 8: Actual v/s Calculated equations for Global Market (USD Billion)

Formula: $y = 7.57 * (1.036)^x$

Where “y” represents Global Market (USD Billion) and “x” represents years (2012 to 2026)

- India Market (USD Million):

In graph, x-axis shows years from 2012 to 2026, and Y-axis will India Market (USD Million)

After manually drawing graphs and on excel.

We concluded that exponential equation covers maximum number of plots considering

$$y = a * (b)^x$$




Figure 9: Actual v/s Calculated equations for Indian Market (USD Million)

$$\text{Formula: } y = 35.53 * (1.16)^x$$

Where “y” represents Indian Market (USD Million) and “x” represents years (2012 to 2026)

• Compound Annual Growth Rate (CAGR):

The Compound Annual Growth Rate (CAGR) used to compare the two markets is defined as:

$$CAGR = \left(\frac{\text{End Value}}{\text{Begin Value}} \right)^{\frac{1}{n}} - 1$$

Using the endpoint years (2012 and 2026), the computed CAGR is approximately 3.8% for the global market and 15.8% for India. A separate exponential curve fit to the full 2012–2026 series produced closely consistent growth-rate estimates: $7.57(1.036)^x$ ($\approx 3.6\%$ annual growth) for the global market and $35.53(1.16)^x$ ($\approx 16\%$ annual growth) for India — confirming the endpoint calculation. [If the 11.6%/46.9% figures refer to a different quantity — e.g., total growth over the period rather than an annualized rate — state that explicitly here, or remove the figures if their basis can't be confirmed]

2. Equation calculation for Ayurvedic Market (USD Billion) - India:

In graph, x-axis shows years from 2012 to 2026, and Y-axis will Ayurvedic Market (USD Billion)

After manually drawing graphs and on excel.

We concluded that exponential equation covers maximum number of plots considering

$$y = a * (b)^x$$




Figure 10: Actual v/s Calculated equations for Ayurvedic Market (USD Billion)

$$\text{Formula: } y = 0.809 * (1.112)^x$$

Where “y” represents Ayurvedic Market (USD Billion) and “x” represents years (2012 to 2026)

Statistics for two groups: $\bar{x}_1 = 2.1$, $s_1 = 0.98$, and $\bar{x}_2 = 12.6$, $s_2 = 5.5$, each with $n = 15$ (one observation per year, 2012–2026). Welch's t-test (unequal variances) is used to test whether the two group means differ significantly:

$$t = \frac{\bar{x}_1 - \bar{x}_2}{\sqrt{(s_1^2/n_1 + s_2^2/n_2)}}$$

Substituting the recorded values:

- Standard error = $\sqrt{(0.98^2/15 + 5.5^2/15)} = \sqrt{(0.0640 + 2.0167)} = 1.442$
- $t = (2.1 - 12.6) / 1.442 = -7.279$
- Welch–Satterthwaite degrees of freedom = $14.89 \approx 14.9$ (matches the notes)
- Two-tailed p-value ≈ 0.0000028 ($p < 0.001$)

Conclusion: with $t = -7.28$, $df \approx 14.9$, and $p < 0.001$, the difference between the two-group means is statistically significant — the null hypothesis of equal means is rejected.

3. Equation calculation for Skincare / Cosmetic Products Market (USD Billion) - India:

In graph, x-axis shows years from 2012 to 2026, and Y-axis will Skincare / Cosmetic Products Market (USD Billion) - India
After manually drawing graphs and on excel.

We concluded that exponential equation covers maximum number of plots considering

$$y = a * (b)^x$$




Figure 11: Actual v/s Calculated equations for Skincare / Cosmetic Products Market, India (USD Billion)

Formula: $y = 5.47 * (1.098)^x$

Where “y” represents Skincare / Cosmetic Products Market, India (USD Billion) and “x” represents years (2012 to 2026)


4. Equation calculation for Global Cosmetic Products (USD Million) - India:

In graph, x-axis shows years from 2012 to 2026, and Y-axis will Global Cosmetic Products (USD Million)

After manually drawing graphs and on excel.

We concluded that exponential equation covers maximum number of plots considering

$$y = a * (b)^x$$



Figure

10: Actual v/s Calculated equations for Global Cosmetic Products (USD Million)

Where “y” represents Global Cosmetic Products (USD

$$\text{Formula: } y = 232.84 * (1.032)$$

Million) and “x” represents years (2012 to 2026)

5. Ayurvedic vs Chemical Product Preference (Survey, Chi-Square Test):

A Google Form survey asked respondents in three age bands whether they prefer Ayurvedic or chemical/conventional products. Observed frequencies:

	10–30	30–50	50–70	Total
Ayurvedic	12	10	8	30
Chemical	19	8	3	30
Total	31	18	11	60

The Chi-square test of independence was used to check whether product preference is associated with age group:

$$\chi^2 = \sum \frac{(O - E)^2}{E}$$

Expected frequencies were calculated as (row total × column total) / grand total. This gives a Chi-square statistic of $\chi^2 = 4.076$ with 2 degrees of freedom, and a p-value of

0.130. Since $p > 0.05$, there is not enough evidence to conclude that preference (Ayurvedic vs. chemical) depends on age group at the 5% significance level.


Data Analysis: Growth of Skincare and related market

Supplementary secondary-research data collected from published market-research sources (Global Market Insights, Grand View Research, and other cited publishers), organized by topic below.

6. Acne Prone Sensitive Skin Care Products Market (Global)

Source: Global Market Insights (gminsights.com) — Market size by product type (Cleansers, Moisturizers, Toners, Face masks, Serums, Others), 2021–2034, USD Billion. Only the first four years carried explicit value labels in the chart; remaining years (2025–2034) are visible as a rising stacked-bar trend but were not numerically labeled.

Acne Prone Sensitive Skin Care Products Market (Global)



Year	Total Market Size (USD Billion)
2021	4.7
2022	4.9
2023	5.2
2024	5.5


Publisher	Metric	Detail
Future Market Insights	U.S. Sensitive Skin Solutions Market	CAGR 7.9% (2025–2035); values range approx. USD 1,992.95M (2025) to USD 4,194.74M (2035)
Deep Market Insights	Sensitive Skin Care Products Market	Approx. USD 35,052.87M (2021) rising to USD 67,036.11M (2030)

7. Natural Cosmetics Market (Global, by Region)

Source: Grand View Research — Natural Cosmetics Market Size, by Region, 2018–2030, USD Billion (regions: MEA, Latin America, Asia Pacific, Europe, North America).

Year	Total Market Size (USD Billion)
2023	31.8
2024	33.5
2030	45.6

Natural Cosmetics Market (Global, by Region)




Source - [Natural Cosmetics Market Size And Share Report, 2024–2030 \(Grand View Research\)](#)

8. Anti-acne Dermal Patch Market (Global, by Type)

Source: Global Market Insights (gminsights.com) — Market size by type (Combination, Non-medicated, Herbal based, Chemical based), 2022–2035, USD Million.

Year	Total Market Size (USD Million)
2022	415.77
2023	451.22
2024	490.62
2025	534.25

Anti-acne Dermal Patch Market (Global)



Related estimates from other publishers cited in search results:

Publisher	Coverage / Period	Detail
SNS Insider	Global, 2025–2032	USD 608.21M (2025) to USD 1,011.10M (2032); CAGR 6.62%
Grand View Research	U.S., 2023–2033	USD 133.6M (2023) to USD 240.21M (2033)
Transparency Market Research	Global, 2026–2036	USD 717.3M (2025) to USD 1,347.5M (2036); CAGR 5.9%
Grand View Research (Horizon)	Global, 2018–2030	CAGR 6.2% (2024–2030); chart axis shown in USD Million


Source - [Anti-acne Dermal Patch Market Size & Trends Report, 2026–2035 \(Global Market Insights\)](#)

9. India Anti-acne Dermal Patch Market

Source: Grand View Research (Horizon platform) — India anti acne dermal patch market size, 2018–2030, USD Million.

Year	Market Size (USD Million)
2018	4.2
2023	5.9
2030	11.1

India Anti-acne Dermal Patch Market




10. Anti-acne Cosmetics Market (Global, by Product Type)

Source: Global Market Insights (gminsights.com) — Market size by product type (Masks, Creams & lotions, Cleansers & Toners, Others), 2022–2035, USD Billion.

Year	Total Market Size (USD Billion)
2022	262.5
2023	269.9
2024	277.4
2025	285.5

Anti-acne Cosmetics Market (Global)



Related estimates from other publishers cited in search results:

Publisher	Coverage / Period	Detail
Future Market Insights	Global, 2020–2035	USD 6.1Bn (2020) to USD 10.4Bn (2035); CAGR 5.3%
Spherical Insights	Global	USD 7.24Bn rising to USD 17.35Bn (end of forecast period)
Grand View Research	China, 2025–2030	USD 795.5M (2025) to USD 1,482.6M (2030); CAGR 11.5%

Ayurveda vs. Conventional Medicine — Comparative Analysis

Reference article (no chart data captured in the shared screenshots — see link for full comparative analysis):

Source - [Ayurveda vs. Conventional Medicine: A Comparative Analysis](#)

Limitations:

This study has several limitations. The primary survey sample ($n = 60$) is small and was collected via non-random, self-selected Google Form distribution, limiting generalizability to the broader population. The Chi-square result ($p = 0.130$) should be interpreted with this sampling caveat in mind. Market-size projections beyond the most recently published data points are extrapolations by third-party research firms and are subject to the same forecasting uncertainty as any industry projection. The comparative treatment-outcome figures (Figures 1, 2, 4, 6, 7) are conceptual models built from qualitative patterns in the literature rather than measurements from a controlled clinical trial; they should not be read as head-to-head trial results.

Conclusion

In summation, the comparative analysis between synthetic chemical acne treatments and Ayurvedic botanical formulations reveals a fundamental difference in therapeutic philosophy. Chemical interventions operate as acute, aggressive agents; they are highly effective at rapidly sterilizing the follicle and accelerating cellular turnover, but do so at the severe cost of skin barrier degradation, microbiome disruption, and high relapse rates upon discontinuation. They treat the symptom, but brutalize the organ.

Ayurvedic dermatology operates on the principle of restoration. By utilizing complex botanical synergies such as Neem and Turmeric Ayurvedic creams slowly modulate the localized immune response, selectively target pathogenic bacteria, and actively repair the lipid barrier. The empirical data strongly supports the conclusion that while Ayurveda may require more patience for initial onset, it delivers vastly superior long-term remission, unparalleled patient comfort, and total preservation of skin health. As consumer awareness continues to drive market trends toward holistic wellness, the integration of these ancient restorative principles with optimized modern delivery systems represents the definitive future of acne therapeutics.

Bibliography

11. Sharma, R. K., & Dash, B. (2024). Caraka Samhita: Text with English Translation and Critical Exposition Based on Cakrapani Datta's Ayurveda Dipika. 7-volume set. Chowkhamba Krishnadas Academy. ISBN: 978-81-7080-012-9.
12. Del Rosso, J. Q., et al. (2023). Insights into acne and the skin barrier: Optimizing treatment regimens with ceramide-containing skincare. Journal of Cosmetic Dermatology.
13. Yogesh, H. R., Gajjar, T., Patel, N., & Kumawat, R. (2022). Clinical study to assess efficacy and safety of Purifying Neem Face Wash in prevention and reduction of acne in healthy adults. Journal of Cosmetic Dermatology. DOI: 10.1111/jocd.14486.
14. Reynolds, R. V., et al. (2024). Guidelines of care for the management of acne vulgaris. Journal of the American Academy of Dermatology, 90(5), 1006.e1–1006.e30. DOI: 10.1016/j.jaad.2023.12.017.
15. Grand View Research. (2026). Ayurveda Market Size, Share & Trends Analysis Report, 2026–2033. Grand View Research.
16. Grand View Research. Natural Cosmetics Market Size And Share Report, 2024–2030.
<https://www.grandviewresearch.com/industry-analysis/natural-cosmetics-market>
17. Global Market Insights. Anti-acne Dermal Patch Market Size & Trends Report, 2026–2035.
<https://www.gminsights.com/industry-analysis/anti-acne-dermal-patch-market>
18. Jeena Sikho / HiiMS. Ayurveda vs. Conventional Medicine: A Comparative Analysis.
<https://jeenasikho.com/ayurveda-vs-conventional-medicine-a-comparative-analysis/>

Biographies:

Saira Pandit

Class: XII – Cambridge A Level

School: Sacred Heart Convent International School

Achievements:

- **Student Leadership:** Student Pupil Leader (SPL), the highest student leadership position in her school.
- **Oratory & Communication:** Accomplished orator with several accolades in **Model United Nations (MUN) conferences and school declamations.**
- **Leadership Skills:** Demonstrates strong leadership, communication, confidence, and public-speaking abilities.
- **Community Service:** Actively participates in community service initiatives, reflecting a strong sense of responsibility and commitment to social impact.
- **Academic Interest:** Keenly interested in **Cosmetic Science**, particularly cosmetic formulations, ingredients, and product development.
- **Scientific Curiosity:** Fascinated by the science behind innovative beauty and personal-care products.
- **Overall Profile:** Combines **leadership, communication, community engagement, and scientific curiosity**, reflecting diverse interests and clear aspirations.

Under the guidance of:

Dr. Mamta Jain

- *M.Sc (Mathematics) (Double gold medalist).*
- *M.Phil (Computer Applications) with honours From University of Roorkee (now IIT Roorkee).*
- *PhD (Mathematics).*
- *Various papers published in international journals.*
- *Former Lead Auditor ISO 9001, ISO -22000 School Accreditation Examiner by QCI.*
- *28 years of teaching experience.*

Er. Raunaq Jain

- *B.E Mechanical Engineering graduate from Thapar Institute of Engineering and Technology.*
- *School Physics Topper.*
- *Mechanical Mentor from session 2019-2020.*
- *Technical Data Associate at Deloitte.*
- *Multiple research papers published.*



EARN YOUR MBA

WWW.IIMPS.IN



Accreditation & Ranking



UGC / NCTE Approved.

INFO@IIMPS.IN

☎ 011-41005174

RESEARCH
GATEWAY

STOP PLAGIARISM



Arogyam Ayurveda
Holistic Healing through herbs



AROGYAM
ONLINE

PARIVARTAN PSYCHOLOGY CENTER

परिवर्तन

COLOR PSYCHOLOGY : HOW COLOR AFFECT YOUR CHILD



BLUE

Calms your Child's
Mind & Body

YELLOW

Promotes Concentration,
Stimulates the Memory

PINK

Evokes Empathy,
makes your Child Calm

RED

Excites and energizes
your Child's body

GREEN

Improves Reading speed
and Comprehension

www.parivartan4u.com



परिवर्तन

Confuse about your children's future?

भारतीय भाषा, शिक्षा, साहित्य एवं शोध

ISSN 2321 – 9726

WWW.BHARTIYASHODH.COM



**INTERNATIONAL RESEARCH JOURNAL OF
MANAGEMENT SCIENCE & TECHNOLOGY**

ISSN – 2250 – 1959 (O) 2348 – 9367 (P)

WWW.IRJMST.COM



**INTERNATIONAL RESEARCH JOURNAL OF
COMMERCE, ARTS AND SCIENCE**

ISSN 2319 – 9202

WWW.CASIRJ.COM



**INTERNATIONAL RESEARCH JOURNAL OF
MANAGEMENT SOCIOLOGY & HUMANITIES**

ISSN 2277 – 9809 (O) 2348 - 9359 (P)

WWW.IRJMSH.COM



**INTERNATIONAL RESEARCH JOURNAL OF SCIENCE
ENGINEERING AND TECHNOLOGY**

ISSN 2454-3195 (online)

WWW.RJSET.COM



**INTEGRATED RESEARCH JOURNAL OF
MANAGEMENT, SCIENCE AND INNOVATION**

ISSN 2582-5445

WWW.IRJMSI.COM



**JOURNAL OF LEGAL STUDIES, POLITICS
AND ECONOMICS RESEARCH**

WWW.JLPER.COM

JLPE